

MEYCO presents the revolutionary



# Nano Diamond Knives



Using nano diamond knives is the most economical way to perform a clear corneal or a side-port incision.

Get a diamond scalpel at the price of a sapphire knife.




**Ultra Sharp Series**  
blade thickness 100 micron only



swiss made

Anton Meyer & Co. AG  
Helmstrasse 1  
CH-2560 Nidau / Switzerland  
Phone 41 32 332 91 11  
Fax 41 32 331 52 57  
[www.meyco.ch](http://www.meyco.ch)  
[meyco@meyco.ch](mailto:meyco@meyco.ch)

# Nano Diamond Knives




## Single edge with an anodized handle

### straight mounting

width (w)	length (l)	thickness (t)	angle (a)	order no.
1.00 mm	3.50 mm	0.10 mm	45°	M-NANO-SC1000
1.50 mm	3.50 mm	0.10 mm	45°	M-NANO-SC1005

### angled mounting

1.00 mm	3.50 mm	0.10 mm	45°	M-NANO-SC1000A
---------	---------	---------	-----	----------------




## Lance with an anodized handle

### straight mounting

width (w)	length (l)	thickness (t)	angle (a)	order no.
1.00 mm	3.50 mm	0.10 mm	30°	M-NANO-SC1100
1.00 mm	3.50 mm	0.10 mm	60°	M-NANO-SC1110
1.50 mm	3.50 mm	0.10 mm	70°	M-NANO-SC1120

### angled mounting

1.00 mm	3.50 mm	0.10 mm	30°	M-NANO-SC1100A
---------	---------	---------	-----	----------------



## Tri-facet with an anodized handle


### straight mounting

width (w)	length (l)	thickness (t)	angle (a)	order no.
1.00 mm	3.50 mm	0.10 mm	30° / 30°	M-NANO-SC1200

## Clear Cornea with an anodized handle

### angled mounting

width (w)	length (l)	thickness (t)	angle (a)	order no.
1.80 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1123A
2.20 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1127A
2.40 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1129A
2.50 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1130A
2.60 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1131A
2.65 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1132A
2.75 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1132-01A
2.80 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1133A
3.00 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1135A
3.20 mm	4.00 mm	0.10 mm	70°	M-NANO-SC1137A



## Crescent knife with an anodized handle

### angled mounting

width (w)	length (l)	thickness (t)	angle (a)	order no.
1.40 mm	4.00 mm	0.10 mm		M-NANO-SC1302A
2.00 mm	4.00 mm	0.10 mm		M-NANO-SC1306A

